


## Test Data (Ceramic antenna: 2.09dBi)


### 5.4.2 RF Output Power

Condition	Mode	Frequency (MHz)	Max Burst RMS Power (dBm)	Burst Number	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	hopping	5.33	81	7.42	20	Pass
NVLT	1-DH5	hopping	5.31	81	7.4	20	Pass
NVNT	1-DH5	hopping	5.33	80	7.42	20	Pass
NVHT	2-DH5	hopping	4.56	97	6.65	20	Pass
NVLT	2-DH5	hopping	4.55	97	6.64	20	Pass
NVNT	2-DH5	hopping	4.46	96	6.55	20	Pass
NVHT	3-DH5	hopping	4.67	81	6.76	20	Pass
NVLT	3-DH5	hopping	4.53	81	6.62	20	Pass
NVNT	3-DH5	hopping	4.66	81	6.75	20	Pass


Power NVHT 1-DH5 hopping




## Power NVLT 1-DH5 hopping




## Power NVNT 1-DH5 hopping




## Power NVHT 2-DH5 hopping




## Power NVLT 2-DH5 hopping




## Power NVNT 2-DH5 hopping




## Power NVHT 3-DH5 hopping



## Power NVLT 3-DH5 hopping




## Power NVNT 3-DH5 hopping




## 5.4.4 Accumulated Transmit Time

Condition	Mode	Frequency (MHz)	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	332.35	400	31600	115	Pass
NVNT	1-DH5	2480	341.02	400	31600	118	Pass
NVNT	2-DH5	2402	345.6	400	31600	120	Pass
NVNT	2-DH5	2480	325.44	400	31600	113	Pass
NVNT	3-DH5	2402	317.9	400	31600	110	Pass
NVNT	3-DH5	2480	323.68	400	31600	112	Pass


Dwell NVNT 1-DH5 2402MHz




Dwell NVNT 1-DH5 2480MHz




## Dwell NVNT 2-DH5 2402MHz




## Dwell NVNT 2-DH5 2480MHz



## Dwell NVNT 3-DH5 2402MHz



## Dwell NVNT 3-DH5 2480MHz







## 5.4.4 Frequency Occupation

Condition	Mode	Frequency (MHz)	Frequency Occupation (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	2.89	0	913.24	1	Pass
NVNT	1-DH5	2480	8.67	0	913.24	3	Pass
NVNT	2-DH5	2402	11.52	0	910.08	4	Pass
NVNT	2-DH5	2480	14.4	0	910.08	5	Pass
NVNT	3-DH5	2402	11.56	0	913.24	4	Pass
NVNT	3-DH5	2480	14.45	0	913.24	5	Pass


Freq. Occup. NVNT 1-DH5 2402MHz




Freq. Occup. NVNT 1-DH5 2480MHz




## Freq. Occup. NVNT 2-DH5 2402MHz




## Freq. Occup. NVNT 2-DH5 2480MHz



## Freq. Occup. NVNT 3-DH5 2402MHz




## Freq. Occup. NVNT 3-DH5 2480MHz




## 5.4.4 Hopping Sequence

Condition	Mode	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	79	15	95.37	70	Pass
NVNT	2-DH5	79	15	95.87	70	Pass
NVNT	3-DH5	79	15	95.86	70	Pass


Hopping Seq. NVNT 1-DH5 hopping



Hopping Seq. NVNT 2-DH5 hopping




## Hopping Seq. NVNT 3-DH5 hopping




## 5.4.7 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	2401.949	0.862	2401.518	2402.38	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	2479.946	0.862	2479.515	2480.377	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	2401.951	1.176	2401.364	2402.539	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	2479.95	1.176	2479.362	2480.538	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2402	2401.941	1.214	2401.334	2402.548	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2480	2479.94	1.215	2479.332	2480.547	2400 - 2483.5MHz	Pass


OBW NVNT 1-DH5 2402MHz




## OBW NVNT 1-DH5 2480MHz




## OBW NVNT 2-DH5 2402MHz



## OBW NVNT 2-DH5 2480MHz




## OBW NVNT 3-DH5 2402MHz






## OBW NVNT 3-DH5 2480MHz




## 5.4.8 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	2402	2399.5	-55.96	-10	Pass
NVNT	1-DH5	2402	2398.5	-60.01	-20	Pass
NVNT	1-DH5	2402	2484	-58.23	-10	Pass
NVNT	1-DH5	2402	2485	-60.2	-20	Pass
NVNT	2-DH5	2402	2399.5	-31.37	-10	Pass
NVNT	2-DH5	2402	2399.324	-24.3	-10	Pass
NVNT	2-DH5	2402	2398.324	-48.77	-20	Pass
NVNT	2-DH5	2402	2398.148	-50.91	-20	Pass
NVNT	2-DH5	2402	2484	-52.13	-10	Pass
NVNT	2-DH5	2402	2484.176	-51.23	-10	Pass
NVNT	2-DH5	2402	2485.176	-50.1	-20	Pass
NVNT	2-DH5	2402	2485.352	-26.04	-20	Pass
NVNT	3-DH5	2402	2399.5	-55.23	-10	Pass
NVNT	3-DH5	2402	2399.286	-58.74	-10	Pass
NVNT	3-DH5	2402	2398.286	-60.7	-20	Pass
NVNT	3-DH5	2402	2398.072	-60.38	-20	Pass
NVNT	3-DH5	2402	2484	-59.71	-10	Pass
NVNT	3-DH5	2402	2484.215	-59.49	-10	Pass
NVNT	3-DH5	2402	2485.215	-60.53	-20	Pass
NVNT	3-DH5	2402	2485.43	-60.03	-20	Pass


Tx. Emissions OOB NVNT 1-DH5 hopping



## Tx. Emissions OOB NVNT 2-DH5 hopping




## Tx. Emissions OOB NVNT 3-DH5 hopping




## 5.4.5 Hopping Frequency Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2440.9422	2441.9434	1.0012	0.1	Pass
NVNT	2-DH5	2441.0971	2442.0914	0.9943	0.1	Pass
NVNT	3-DH5	2441.1147	2442.0971	0.9824	0.1	Pass


HFS NVNT 1-DH5 2441MHz



HFS NVNT 2-DH5 2441MHz



## HFS NVNT 3-DH5 2441MHz




## (Flex antenna: 3.20dBi)


### 5.4.2 RF Output Power

Condition	Mode	Frequency (MHz)	Max Burst RMS Power (dBm)	Burst Number	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	hopping	5.49	81	8.69	20	Pass
NVLT	1-DH5	hopping	5.47	81	8.67	20	Pass
NVNT	1-DH5	hopping	5.53	81	8.73	20	Pass
NVHT	2-DH5	hopping	4.85	81	8.05	20	Pass
NVLT	2-DH5	hopping	4.84	81	8.04	20	Pass
NVNT	2-DH5	hopping	4.79	81	7.99	20	Pass
NVHT	3-DH5	hopping	5.29	81	8.49	20	Pass
NVLT	3-DH5	hopping	5.17	81	8.37	20	Pass
NVNT	3-DH5	hopping	4.84	81	8.04	20	Pass


Power NVHT 1-DH5 hopping




## Power NVLT 1-DH5 hopping




## Power NVNT 1-DH5 hopping



## Power NVHT 2-DH5 hopping




## Power NVLT 2-DH5 hopping







## Power NVNT 2-DH5 hopping




## Power NVHT 3-DH5 hopping



## Power NVLT 3-DH5 hopping




## Power NVNT 3-DH5 hopping



## 5.4.4 Accumulated Transmit Time

Condition	Mode	Frequency (MHz)	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	300.56	400	31600	104	Pass
NVNT	1-DH5	2480	283.22	400	31600	98	Pass
NVNT	2-DH5	2402	341.02	400	31600	118	Pass
NVNT	2-DH5	2480	277.44	400	31600	96	Pass
NVNT	3-DH5	2402	309.23	400	31600	107	Pass
NVNT	3-DH5	2480	274.55	400	31600	95	Pass


Dwell NVNT 1-DH5 2402MHz




Dwell NVNT 1-DH5 2480MHz




## Dwell NVNT 2-DH5 2402MHz




## Dwell NVNT 2-DH5 2480MHz



## Dwell NVNT 3-DH5 2402MHz




## Dwell NVNT 3-DH5 2480MHz




## 5.4.4 Frequency Occupation

Condition	Mode	Frequency (MHz)	Frequency Occupation (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	17.34	0	913.24	6	Pass
NVNT	1-DH5	2480	11.56	0	913.24	4	Pass
NVNT	2-DH5	2402	5.78	0	913.24	2	Pass
NVNT	2-DH5	2480	8.67	0	913.24	0	Pass
NVNT	3-DH5	2402	8.67	0	913.24	3	Pass
NVNT	3-DH5	2480	11.56	0	913.24	4	Pass


Freq. Occup. NVNT 1-DH5 2402MHz




Freq. Occup. NVNT 1-DH5 2480MHz




## Freq. Occup. NVNT 2-DH5 2402MHz




## Freq. Occup. NVNT 2-DH5 2480MHz



## Freq. Occup. NVNT 3-DH5 2402MHz



## Freq. Occup. NVNT 3-DH5 2480MHz







## 5.4.4 Hopping Sequence

Condition	Mode	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	79	15	95.36	70	Pass
NVNT	2-DH5	79	15	95.86	70	Pass
NVNT	3-DH5	79	15	95.8	70	Pass


Hopping Seq. NVNT 1-DH5 hopping



Hopping Seq. NVNT 2-DH5 hopping




## Hopping Seq. NVNT 3-DH5 hopping




## 5.4.7 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	2401.949	0.862	2401.518	2402.38	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	2479.947	0.862	2479.516	2480.378	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	2401.952	1.176	2401.364	2402.54	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	2479.95	1.176	2479.362	2480.538	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2402	2401.942	1.213	2401.335	2402.548	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2480	2479.94	1.212	2479.333	2480.546	2400 - 2483.5MHz	Pass


OBW NVNT 1-DH5 2402MHz




## OBW NVNT 1-DH5 2480MHz




## OBW NVNT 2-DH5 2402MHz




## OBW NVNT 2-DH5 2480MHz



## OBW NVNT 3-DH5 2402MHz




## OBW NVNT 3-DH5 2480MHz




## 5.4.8 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	2402	2399.5	-60.41	-10	Pass
NVNT	1-DH5	2402	2398.5	-59.43	-20	Pass
NVNT	1-DH5	2402	2484	-58.91	-10	Pass
NVNT	1-DH5	2402	2485	-59.31	-20	Pass
NVNT	2-DH5	2402	2399.5	-55.56	-10	Pass
NVNT	2-DH5	2402	2399.324	-60.98	-10	Pass
NVNT	2-DH5	2402	2398.324	-60.89	-20	Pass
NVNT	2-DH5	2402	2398.148	-60.72	-20	Pass
NVNT	2-DH5	2402	2484	-59.24	-10	Pass
NVNT	2-DH5	2402	2484.176	-60.18	-10	Pass
NVNT	2-DH5	2402	2485.176	-60.19	-20	Pass
NVNT	2-DH5	2402	2485.352	-60.36	-20	Pass
NVNT	3-DH5	2402	2399.5	-57.54	-10	Pass
NVNT	3-DH5	2402	2399.287	-57.13	-10	Pass
NVNT	3-DH5	2402	2398.287	-60.14	-20	Pass
NVNT	3-DH5	2402	2398.074	-61.39	-20	Pass
NVNT	3-DH5	2402	2484	-59.29	-10	Pass
NVNT	3-DH5	2402	2484.212	-58.88	-10	Pass
NVNT	3-DH5	2402	2485.212	-59.63	-20	Pass
NVNT	3-DH5	2402	2485.424	-59.52	-20	Pass


Tx. Emissions OOB NVNT 1-DH5 hopping



## Tx. Emissions OOB NVNT 2-DH5 hopping



## Tx. Emissions OOB NVNT 3-DH5 hopping







## 5.4.5 Hopping Frequency Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2440.9098	2441.9203	1.0105	0.1	Pass
NVNT	2-DH5	2440.8966	2442.1349	1.2383	0.1	Pass
NVNT	3-DH5	2440.9336	2441.9342	1.0006	0.1	Pass


HFS NVNT 1-DH5 2441MHz



HFS NVNT 2-DH5 2441MHz



## HFS NVNT 3-DH5 2441MHz




## (Whip antenna: 4.0dBi)


### 5.4.2 RF Output Power

Condition	Mode	Frequency (MHz)	Max Burst RMS Power (dBm)	Burst Number	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	hopping	5.92	80	9.92	20	Pass
NVLT	1-DH5	hopping	5.9	81	9.9	20	Pass
NVNT	1-DH5	hopping	5.93	81	9.93	20	Pass
NVHT	2-DH5	hopping	5.29	80	9.29	20	Pass
NVLT	2-DH5	hopping	5.29	81	9.29	20	Pass
NVNT	2-DH5	hopping	5.27	81	9.27	20	Pass
NVHT	3-DH5	hopping	4.65	81	8.65	20	Pass
NVLT	3-DH5	hopping	4.74	81	8.74	20	Pass
NVNT	3-DH5	hopping	4.65	81	8.65	20	Pass


Power NVHT 1-DH5 hopping




## Power NVLT 1-DH5 hopping




## Power NVNT 1-DH5 hopping




## Power NVHT 2-DH5 hopping




## Power NVLT 2-DH5 hopping




## Power NVNT 2-DH5 hopping




## Power NVHT 3-DH5 hopping



## Power NVLT 3-DH5 hopping




## Power NVNT 3-DH5 hopping




## 5.4.4 Accumulated Transmit Time

Condition	Mode	Frequency (MHz)	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	320.79	400	31600	111	Pass
NVNT	1-DH5	2480	341.02	400	31600	118	Pass
NVNT	2-DH5	2402	277.44	400	31600	96	Pass
NVNT	2-DH5	2480	280.33	400	31600	97	Pass
NVNT	3-DH5	2402	320.79	400	31600	111	Pass
NVNT	3-DH5	2480	306.34	400	31600	106	Pass

Dwell NVNT 1-DH5 2402MHz




Dwell NVNT 1-DH5 2480MHz







## Dwell NVNT 2-DH5 2402MHz




## Dwell NVNT 2-DH5 2480MHz



## Dwell NVNT 3-DH5 2402MHz




## Dwell NVNT 3-DH5 2480MHz




## 5.4.4 Frequency Occupation

Condition	Mode	Frequency (MHz)	Frequency Occupation (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	14.45	0	913.24	5	Pass
NVNT	1-DH5	2480	11.56	0	913.24	4	Pass
NVNT	2-DH5	2402	14.45	0	913.24	5	Pass
NVNT	2-DH5	2480	11.56	0	913.24	4	Pass
NVNT	3-DH5	2402	8.67	0	913.24	3	Pass
NVNT	3-DH5	2480	11.56	0	913.24	4	Pass


Freq. Occup. NVNT 1-DH5 2402MHz




Freq. Occup. NVNT 1-DH5 2480MHz




## Freq. Occup. NVNT 2-DH5 2402MHz




## Freq. Occup. NVNT 2-DH5 2480MHz



## Freq. Occup. NVNT 3-DH5 2402MHz




## Freq. Occup. NVNT 3-DH5 2480MHz




## 5.4.4 Hopping Sequence

Condition	Mode	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	79	15	95.37	70	Pass
NVNT	2-DH5	79	15	95.85	70	Pass
NVNT	3-DH5	79	15	95.87	70	Pass


Hopping Seq. NVNT 1-DH5 hopping



Hopping Seq. NVNT 2-DH5 hopping




## Hopping Seq. NVNT 3-DH5 hopping



## 5.4.7 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	2401.949	0.862	2401.518	2402.379	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	2479.947	0.862	2479.516	2480.378	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	2401.952	1.175	2401.364	2402.54	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	2479.95	1.176	2479.362	2480.538	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2402	2401.941	1.214	2401.334	2402.548	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2480	2479.94	1.214	2479.333	2480.547	2400 - 2483.5MHz	Pass

OBW NVNT 1-DH5 2402MHz







## OBW NVNT 1-DH5 2480MHz




## OBW NVNT 2-DH5 2402MHz




## OBW NVNT 2-DH5 2480MHz



## OBW NVNT 3-DH5 2402MHz




## OBW NVNT 3-DH5 2480MHz




## 5.4.8 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	2402	2399.5	-57.97	-10	Pass
NVNT	1-DH5	2402	2398.5	-59.38	-20	Pass
NVNT	1-DH5	2402	2484	-58.18	-10	Pass
NVNT	1-DH5	2402	2485	-58.92	-20	Pass
NVNT	2-DH5	2402	2399.5	-55.06	-10	Pass
NVNT	2-DH5	2402	2399.325	-57.51	-10	Pass
NVNT	2-DH5	2402	2398.325	-61.13	-20	Pass
NVNT	2-DH5	2402	2398.15	-60.37	-20	Pass
NVNT	2-DH5	2402	2484	-59.84	-10	Pass
NVNT	2-DH5	2402	2484.176	-58.84	-10	Pass
NVNT	2-DH5	2402	2485.176	-60.67	-20	Pass
NVNT	2-DH5	2402	2485.352	-60.03	-20	Pass
NVNT	3-DH5	2402	2399.5	-56.41	-10	Pass
NVNT	3-DH5	2402	2399.286	-57	-10	Pass
NVNT	3-DH5	2402	2398.286	-60.75	-20	Pass
NVNT	3-DH5	2402	2398.072	-60.92	-20	Pass
NVNT	3-DH5	2402	2484	-59.01	-10	Pass
NVNT	3-DH5	2402	2484.214	-59.78	-10	Pass
NVNT	3-DH5	2402	2485.214	-59.54	-20	Pass
NVNT	3-DH5	2402	2485.428	-59.88	-20	Pass


Tx. Emissions OOB NVNT 1-DH5 hopping



## Tx. Emissions OOB NVNT 2-DH5 hopping




## Tx. Emissions OOB NVNT 3-DH5 hopping




## 5.4.5 Hopping Frequency Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2440.8931	2441.9482	1.0551	0.1	Pass
NVNT	2-DH5	2441.1531	2442.1561	1.003	0.1	Pass
NVNT	3-DH5	2440.7922	2441.778	0.9858	0.1	Pass

HFS NVNT 1-DH5 2441MHz



HFS NVNT 2-DH5 2441MHz



## HFS NVNT 3-DH5 2441MHz

